

## SECTION 1: PRODUCT IDENTIFICATION

<b>PRODUCT NAME</b>	<b>MEDIBASE C (Polyglycol 300 MW Liquid)</b>
<b>PRODUCT CODE</b>	<b>0750</b>
<b>SUPPLIER</b>	<b>MEDISCA Inc.</b> Tel.: 1.800.932.1039   Fax.: 1.855.850.5855 626 Tom Miller Road, Plattsburgh, NY, 12901 <b>MEDISCA Pharmaceutique Inc.</b> Tel.: 1.800.665.6334   Fax.: 514.338.1693 4509 Rue Dobrin, St. Laurent, QC, H4R 2L8 <b>MEDISCA Australia PTY LTD</b> Tel.: 1.300.786.392   Fax.: 61.2.9700.9047 Unit 7, Heritage Business Park 5-9 Ricketty Street, Mascot, NSW 2020
<b>EMERGENCY PHONE</b>	CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 NSW Poisons Information Centre: 131 126 National Chemical Emergency Centre 44(0)1235239670
<b>RECOMMENDED USES</b>	Pharmaceutical Manufacturing
<b>RESTRICTIONS ON USE</b>	Not applicable

## SECTION 2: HAZARDS IDENTIFICATION

<b>GHS CLASSIFICATION</b>	Eye Irritation (Category 2B)		
<b>PICTOGRAM</b>	Not Applicable		
<b>SIGNAL WORD</b>	Warning		
<b>HAZARD STATEMENT(S)</b>	Causes eye irritation.		
<b>ADVERSE PHYSIOCHEMICAL, HUMAN HEALTH AND ENVIRONMENTAL EFFECTS</b>	Not Applicable.		
<b>PRECAUTIONARY STATEMENT(S)</b>	<b>Prevention</b>	Wash hands thoroughly after handling. Do not touch eyes.	
	<b>Response</b>	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical help.	
	<b>Storage</b>	Not Applicable.	
	<b>Disposal</b>	Not Applicable.	
<b>HMS CLASSIFICATION</b>	<b>Health Hazard</b>	1	<b>Flammability</b> 1
	<b>Reactivity</b>	0	<b>Personal Protection</b> B

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME	Poly (oxy-1, 2-ethanediyl), $\alpha$ -hydro- $\omega$ -hydroxy-
BOTANICAL NAME	Not applicable
SYNONYM	Polyethylene Glycol 300; Carbowax 300; Macrogol
CHEMICAL FORMULA	H(OCH <sub>2</sub> CH <sub>2</sub> ) <sub>n</sub> OH
CHEMICAL FAMILY	Oxyalkylene Polymer
CAS NUMBER	25322-68-3
ALTERNATE CAS NUMBER	Not applicable
MOLECULAR WEIGHT	285 - 315 (average)

CHEMICAL NAME	CAS NUMBER	EC NUMBER	% BY WEIGHT
POLYETHYLENE GLYCOL	25322-68-3	500-038-2	100

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as health hazards and hence require reporting in this section.

## SECTION 4: FIRST-AID MEASURES

IN CASE OF EYE CONTACT	Flush with copious amounts of water for 15 minutes, separating eyelids with fingers. If irritation persists seek medical aid.
IN CASE OF SKIN CONTACT	Wash with soap & water for 15 minutes. If irritation persists seek medical aid.
IF SWALLOWED	Call a physician. Wash out mouth with water. Do not induce vomiting without medical advice.
IF INHALED	Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician
MEDICAL ATTENTION AND SPECIAL TREATMENT	Get emergency medical help.
SYMPTOMS CAUSED BY EXPOSURE	Not expected to present a significant hazard under anticipated conditions of normal use.

## SECTION 5: FIREFIGHTING MEASURES

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL	Not applicable
FLAMMABLE PROPERTIES	May be combustible at high temperature
HAZARDOUS COMBUSTION PRODUCTS	Under fire conditions, hazardous fumes will be present.
SUITABLE & UNSUITABLE EXTINGUISHING MEDIA	<b>Small fire:</b> dry chemical, CO <sub>2</sub> or water spray. <b>Large fire:</b> dry chemical, CO <sub>2</sub> , alcohol resistant foam or water spray. Do not get water inside containers.
PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS	Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

**PERSONAL PRECAUTIONS**

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

**METHODS & MATERIAL FOR CONTAINMENT**

On land, sweep or shovel into suitable containers.

**CLEANUP PROCEDURE**

Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Wear respirator, chemical safety goggles, rubber boots and heavy rubber gloves. Stop leak if you can do it without risk. Prevent entry into waterways, sewers, basements or confined areas. Shut off all sources of ignition. Evacuate the area. If necessary, employ water fog to disperse the vapors. Absorb the matter with compatible vermiculite or other absorbing material. Place in a suitable container and retain for disposal. Ventilate and clean the affected area. Do not flush into sewerage system or to drains.

**REFERENCE TO OTHER SECTIONS**

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

## SECTION 7: HANDLING AND STORAGE

**PRECAUTIONS FOR SAFE HANDLING**

Do not inhale. Avoid contact with eyes, skin and clothing. Avoid prolonged or repeated exposure. Wash thoroughly after handling. Store away from incompatible materials, in a well-ventilated area. Eliminate all sources of ignition. Store in accordance with local regulations. Do not store in unlabeled containers. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Use appropriate containment to avoid environmental contamination.

**CONDITIONS FOR SAFE STORAGE**

Store away from incompatible materials, in a well-ventilated area. Eliminate all sources of ignition. Store in accordance with local regulations. Do not store in unlabeled containers. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Use appropriate containment to avoid environmental contamination.

**STORAGE CONDITIONS**

Store in original container, tightly sealed, protected from direct sunlight and moisture.

Melting point/Freezing point (4-8)°C, (39.2-46.4)°F. The quality of Polyethylene Glycol in an unopened original container, should not be affected by freeze/thaw cycling.

## SECTION 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION

Chemical Name: POLYETHYLENE GLYCOL CAS #: 25322-68-3

	Country	Limit value-8 hours		Limit value-Short Term		IDLH	REL	Advisory	Notes
		ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>				
OSHA	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
ACGIH	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
NIOSH	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
WEEL	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
HSIS	Australia	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
HSE	UK	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
GESTIS	Austria	N/L	1000 (1)	N/L	4000 (1)	N/L	N/L	N/A	(1) inhalable aerosol
GESTIS	Denmark	N/L	1000	N/L	2000	N/L	N/L	N/A	N/A
GESTIS	Germany (AGS)	N/L	200 (1)	N/L	400 (1) (2)	N/L	N/L	N/A	(1) inhalable aerosol; (2) 15 minutes average value

<b>GESTIS</b>	Germany (DFG)	N/L	250 (1)(2)(3)	N/L	500 (1)(2)(3)(4)	N/L	N/L	N/A	(1) Average molecular weight 200 – 600 (2) Inhalable fraction (3) Because formation of a mist is possible, exposure should be minimized for reasons of occupational safety and hygiene. (4) 15 minutes average value
<b>GESTIS</b>	Switzerland	N/L	500	N/L	N/L	N/L	N/L	N/A	N/A

N/L = Not listed ; N/A = Not Available

PELs are 8-hour TWAs = Limit value - Eight hours

Ceiling or Short-Term TWA = STEL = Limit value - Short term

#### EXPOSURE GUIDELINES

Consult local authorities for provincial or state exposure limits. Particulates not otherwise regulated, respirable fraction: 5 mg/m<sup>3</sup>

#### PERSONAL PROTECTIVE EQUIPMENT

**Eyes:** Wear appropriate protective eyeglasses or chemical safety goggles as described by WHMIS or OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. **Skin:** Wear appropriate gloves to prevent skin exposure. **Clothing:** Wear appropriate protective clothing to minimize contact with skin. **Respirators:** Follow WHMIS or OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. **Thermal Hazards:** For products representing a thermal hazard, appropriate Personal Protective Equipment should be used.

#### SPECIFIC ENGINEERING CONTROLS

Adequate mechanical ventilation. Fumehood, eye wash station, and safety shower.

#### BIOLOGICAL MONITORING

Not available

#### CONTROL BANDING

Not available

#### NOTES

Workplace Environmental Exposure Level (WEEL)  
TWA: 10 mg/m<sup>3</sup> (Aerosol)

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### PHYSICAL STATE

Liquid

#### DESCRIPTION

Clear to slightly hazy, colorless or practically colorless, slightly hygroscopic, viscous liquid having a slight characteristic odor.

#### SOLUBILITY

Miscible with water; soluble in acetone, in alcohol, in chloroform, in ethylene glycol monoethyl ether, in ethyl acetate, and in toluene; insoluble in ether and in hexane.

#### ODOR

Slight characteristic odor

#### FLAMMABILITY

May be combustible at high temperature

#### AUTO-IGNITION TEMPERATURE

370°C, 698°F

#### BOILING POINT

>200°C, >392°F (decomposes)

#### DECOMPOSITION TEMPERATURE

>200°C, >392°F

#### EVAPORATION RATE

Not available

#### EXPLOSIVE LIMIT

Not available

#### FLASH POINT

300°C, 572°F

<b>log P (OCTANOL-WATER)</b>	Not available	<b>LOWER FLAMMABLE/ EXPLOSIVE LIMIT(S)</b>	Not available	<b>MELTING/FREEZING POINT</b>	(-15 -- -10 )°C, (5 - 14)°F
<b>PARTICLE CHARACTERISTICS</b>	Not available	<b>OXIDIZING PROPERTY</b>	Not available	<b>pH</b>	4.5 - 7 (77 °F/25 °C) (Concentration: 1g/l)
<b>RELATIVE DENSITY (WATER = 1)</b>	1.127 (20°C)	<b>SPECIFIC GRAVITY</b>	1.128	<b>UPPER FLAMMABLE/ EXPLOSIVE LIMIT(S)</b>	Not available
<b>VAPOR DENSITY (AIR = 1)</b>	> 10	<b>VAPOR PRESSURE</b>	< 0.01 mmHg (20°C)	<b>VISCOSITY</b>	Kinematic: 5.4 - 6.4 mm <sup>2</sup> /s (210.0 °F / 98.9 °C)

The physical data presented above are typical values and should not be construed as a specification.

## SECTION 10: STABILITY AND REACTIVITY

<b>REACTIVITY</b>	Not established
<b>CHEMICAL STABILITY</b>	Stable under recommended storage conditions
<b>INCOMPATIBLE MATERIALS</b>	Strong oxidizing agents. Strong acids. Strong bases.
<b>HAZARDOUS DECOMPOSITION PRODUCTS</b>	Toxic fumes of carbon monoxide, carbon dioxide, nitrogen oxides and other gases may occur
<b>HAZARDOUS POLYMERIZATION</b>	Will not occur
<b>POSSIBILITY OF HAZARDOUS REACTION</b>	Not established
<b>CONDITIONS TO AVOID</b>	Moisture, sunlight and extreme temperatures. If the material is exposed to excessive heat and/or air, degradation may occur.

## SECTION 11: TOXICOLOGICAL INFORMATION

<b>ACUTE TOXICITY</b>	Oral: Rat: LD50: (mg/kg): >15,000 Dermal: Rabbit LD50: (mg/kg): >20000 Inhalation: Rat: LC50: (mg/L/4hr): Not available
<b>SKIN CORROSION/IRRITATION</b>	Based on available data, the classification criteria are not met. Prolonged contact may cause slight skin irritation with local redness.
<b>SERIOUS EYE DAMAGE/EYE IRRITATION</b>	Causes eye irritation. Corneal injury is unlikely. Local effects Eye irritancy test; Result: Mild Irritation; Species: Rabbit Eye irritancy test; Result: No Irritation; Species: Rabbit
<b>RESPIRATORY SENSITIZATION</b>	Due to lack of data the classification is not possible.
<b>SKIN SENSITIZATION</b>	Based on available data, the classification criteria are not met. Modified Draize test; Result: No Sensitization; Species: Guinea pig Skin sensitization study; Result: No Sensitization; Species: Human

<b>GERM CELL MUTAGENICITY</b>	Based on available data, the classification criteria are not met. In vitro genetic toxicity studies were negative. Animal genetic toxicity studies were negative. Data from germ cell mutagenicity tests were not found.
<b>CARCINOGENICITY</b>	<p><b>OSHA</b> POLYETHYLENE GLYCOL is not listed.</p> <p><b>NTP</b> POLYETHYLENE GLYCOL is not listed.</p> <p><b>IARC</b> POLYETHYLENE GLYCOL is not evaluated.</p> <p><b>California Proposition</b> This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.</p>
<b>ADDITIONAL CARCINOGENICITY INFORMATION</b>	Based on available data, the classification criteria are not met. This material is not considered to be a carcinogen by IARC, NTP, or OSHA. A related material has not caused cancer in animal studies.
<b>REPRODUCTIVE TOXICITY</b>	Due to lack of data the classification is not possible. In animal studies, did not interfere with reproduction.
<b>SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE</b>	Based on available data, the classification criteria are not met.
<b>SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE</b>	Based on available data, repeated exposures are not anticipated to cause significant adverse effects. Recent findings of kidney failure and death in burn patients, as well as some studies using animal burn models, suggest that polyethylene glycol may have been a factor. The use of topical applications containing this material may not be appropriate in severely burned patients or individuals with impaired renal function.
<b>ASPIRATION HAZARDS</b>	Based on physical properties, not likely to be an aspiration hazard.
<b>SIGNS AND SYMPTOMS OF EXPOSURE</b>	<p>ROUTES OF EXPOSURE: Oral, Dermal, Eye, Skin contact.</p> <p>EARLY ONSET SYMPTOMS RELATED TO EXPOSURE: Not available</p> <p>DELAYED HEALTH EFFECT FROM EXPOSURE: Not available</p> <p>Not expected to present a significant hazard under anticipated conditions of normal use.</p> <p>Symptoms related to the physical, chemical, and toxicological characteristics: Polyethylene glycols: Gastrointestinal disturbances. Taste disorders.</p>
<b>POTENTIAL HEALTH EFFECTS</b>	<p><b>Inhalation</b> May be harmful if inhaled. May cause respiratory tract irritation. At room temperature, exposure to vapor is minimal due to low volatility; single exposure is not likely to be hazardous.</p> <p><b>Ingestion</b> Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts.</p> <p><b>Skin</b> Prolonged contact may cause slight skin irritation with local redness. Prolonged skin contact is unlikely to result in absorption of harmful amounts. Prolonged/repeated exposure to damaged skin (as in burn patients) may result in absorption of toxic amounts.</p> <p><b>Eyes</b> Causes eye irritation. Corneal injury is unlikely.</p>

## SECTION 12: ECOLOGICAL INFORMATION

<b>ECOTOXICITY</b>	<p>EC50: 48 Hr: Crustacea: (mg/L): Not available</p> <p>LC50: 96 Hr: Fish: Oncorhynchus mykiss: (mg/L): &gt; 20000</p> <p>LC50: 96 Hr: Fish: Pimephales promelas: (mg/L): 87209</p> <p>EC50: 72 or 96 Hr: Algae (or other aqua plants): (mg/L): Not available</p>
--------------------	---

<b>PERSISTENCE AND DEGRADABILITY</b>	Biodegradation under aerobic static laboratory conditions is high (BOD20 or BOD28/ThOD > 40%). Readily biodegradable. (Method: OECD Test Guideline) Chemical Oxygen Demand (COD):1,700 mg/g ,Dissolved organic carbon (DOC):625 mg/g
<b>BIOACCUMULATIVE POTENTIAL</b>	No bioconcentration is expected because of the relatively high water solubility.
<b>MOBILITY IN SOIL</b>	Completley soluble in water at 20°C
<b>OTHER ADVERSE EFFECTS</b>	Not available  This product is not intended to be released into the environment

### SECTION 13: DISPOSAL CONSIDERATIONS

<b>DISPOSAL METHODS</b>	Dispose of in accordance with federal / local laws and regulations. Avoid release into the environment.
-------------------------	---

### SECTION 14: TRANSPORT INFORMATION

<b>UN PROPER SHIPPING NAME</b>	Not dangerous good
<b>UN NUMBER</b>	Not applicable
<b>CLASS</b>	Not applicable
<b>PACKING GROUP</b>	Not applicable

<b>AUSTRALIA HAZCHEM</b>	Not applicable
------------------------------	----------------

<b>EU TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE</b>	Not Listed
--	------------

<b>ENVIRONMENTAL HAZARDS</b>	Not available
<b>SPECIAL SHIPPING INFORMATION</b>	Not applicable

### SECTION 15: REGULATORY INFORMATION

#### UNITED STATES REGULATIONS

Chemical Name & CAS	CERCLA 40 CFR Part 302.4	SARA (Title III) 40 CFR	EPA 40 CFR Part 355 Appendix A	Appendix B	Pennsylvania	Right-to-know New Jersey	Massachusett	California Prop 65
POLYETHYLENE GLYCOL 25322-68-3	N/L	N/L	N/L	N/L	N/L	N/L	N/L	N/L

N/L = Not Listed; X = Listed

#### AUSTRALIAN REGULATIONS

Chemical Name & CAS	Poisons and Therapeutic Goods	Therapeutic Goods Act	Code of Practices - Illicit Drug	Poisons Standard	Work Health and Safety Regulations	Inventory of Industrial Chemicals
POLYETHYLENE GLYCOL 25322-68-3	N/L	N/L	N/L	N/L	N/L	N/L

N/L = Not Listed

**EU REGULATIONS**

Chemical Name & CAS	REACH ANNEX XVII	REACH ANNEX XIV	EC 1005/2009	EC 850/2004	EC 1107/2009	PIC - Prior Informed Consent Regulation	EC 2012/18
POLYETHYLENE GLYCOL 25322-68-3	N/L	N/L	N/L	N/L	N/L	N/L	N/L

N/L = Not Listed; X = Listed

Any EU regulation not listed above is not applicable to this product.

SUBJECT TO INTERNATIONAL AGREEMENT                      Not applicable

**SECTION 16: OTHER INFORMATION**
**REFERENCES**
**ABBREVIATIONS AND ACRONYMS**

Available upon request

**ACGIH** - American Conference of Governmental Industrial Hygienists; **AIHA WEEL** – American Industrial Hygiene Association Workplace Environment Exposure Levels; **CAESAR** – Computer Assisted Evaluation of industrial chemical Substances According to Regulations; **CAS** – Chemical Abstract Service; **CERCLA** – Comprehensive Environmental Response, Compensation, and Liability Act; **EC50** – Effective Concentration, 50%; **EPA** – Environmental Protection Agency; **GHS** – Global Harmonized System; **HMIS** – Hazardous Materials Information System; **HSE** – Health and Safety Executive; **HSIS** – Hazardous Substances Information System; **IARC** – International Agency for Research on Cancer; **IDLH** - Immediately Dangerous to Life or Health; **IRFMN** – Ready Biodegradability Model; **ISS** – Istituto Superiore Sanità; **LC50** – Lethal Concentration, 50%; **LD50** – Lethal Dose, 50%; **MSHA** - Mine Safety and Health Administration; **NIOSH** – National Institute for Occupational Safety and Health; **NTP** – National Toxicology Program; **OSHA PEL** – Occupational Safety & Health Administration Permissible Exposure Limits; **QSAR** – Quantitative Structure-activity relationship; **REL** - Recommended Exposure Limit; **SARA** – Superfund Amendments and Reauthorization Act; **STEL** – Short Term Exposure Limit; **TLV** – Threshold Limit Value; **TWA** – Time Weighted Average; **WHMIS** – Workplace Hazardous Materials Information System

**LAST REVISION**

07/2024

**SUPERSEDES**

11/2023

For a list of changes to the SDS since the last version, please communicate with MEDISCA at [www.medisca.com](http://www.medisca.com)

**DISCLAIMER**

This document was created in accordance with OSHA, Safe Work Australia and WHMIS regulations. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. MEDISCA® shall not be held liable for any damage resulting from handling or from contact with the above product. Recipients of the product must take responsibility for observing existing laws and regulations.

**SUPPLEMENTARY INFORMATION**

For all country specific requirements not outlined on this Safety Data Sheet, please request Supplementary Page to this Safety Data Sheet.