


SECTION 1: PRODUCT IDENTIFICATION

PRODUCT NAME	BENZYL BENZOATE, USP
PRODUCT CODE	1030
SUPPLIER	MEDISCA Inc. Tel.: 1.800.932.1039 Fax.: 1.855.850.5855 626 Tom Miller Road, Plattsburgh, NY, 12901 MEDISCA Pharmaceutique Inc. Tel.: 1.800.665.6334 Fax.: 514.338.1693 4509 Rue Dobrin, St. Laurent, QC, H4R 2L8 MEDISCA Australia PTY LTD Tel.: 1.300.786.392 Fax.: 61.2.9700.9047 Unit 7, Heritage Business Park 5-9 Ricketty Street, Mascot, NSW 2020
EMERGENCY PHONE	CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 NSW Poisons Information Centre: 131 126 National Chemical Emergency Centre 44(0)1235239670
RECOMMENDED USES	Pharmaceutical Manufacturing
RESTRICTIONS ON USE	Not applicable

SECTION 2: HAZARDS IDENTIFICATION

GHS CLASSIFICATION	Acute Toxicity - Oral (Category 4) Acute Toxicity - Dermal (Category 5) Chronic Aquatic Toxicity (Category 1) Eye Irritation (Category 2B)
PICTOGRAM	
SIGNAL WORD	Warning
HAZARD STATEMENT(S)	Harmful if swallowed. May be harmful if in contact with skin. Very toxic to aquatic life with long lasting effects. Causes eye irritation.
ADVERSE PHYSIOCHEMICAL, HUMAN HEALTH AND ENVIRONMENTAL EFFECTS	Repeated exposure may cause skin dryness or cracking.
PRECAUTIONARY STATEMENT(S)	Prevention Wash thoroughly after handling. Do not touch eyes. Do not eat, drink or smoke when using this product. Avoid release to the environment

HMIS CLASSIFICATION	Response	IF SWALLOWED: Immediately call a poison center. Get medical help. Rinse mouth. COLLECT SPILLAGE IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical help. IF ON SKIN: Get medical help.		
	Storage	Not applicable		
	Disposal	Dispose of contents and/or container in accordance with local regulations.		
	Health Hazard	1	Flammability	1
	Reactivity	0	Personal Protection	B

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME	Benzoic acid, phenylmethyl ester								
BOTANICAL NAME	Not applicable								
SYNONYM	Benzoic acid, benzyl ester; Benzylbenzenecarboxylate								
CHEMICAL FORMULA	C ₁₄ H ₁₂ O ₂								
CHEMICAL FAMILY	Ester								
CAS NUMBER	120-51-4								
ALTERNATE CAS NUMBER	Not applicable								
MOLECULAR WEIGHT	212.2468								
COMPOSITION	<table border="1"> <thead> <tr> <th>CHEMICAL NAME</th> <th>CAS NUMBER</th> <th>EC NUMBER</th> <th>% BY WEIGHT</th> </tr> </thead> <tbody> <tr> <td>BENZYL BENZOATE</td> <td>120-51-4</td> <td>204-402-9</td> <td>100</td> </tr> </tbody> </table>	CHEMICAL NAME	CAS NUMBER	EC NUMBER	% BY WEIGHT	BENZYL BENZOATE	120-51-4	204-402-9	100
CHEMICAL NAME	CAS NUMBER	EC NUMBER	% BY WEIGHT						
BENZYL BENZOATE	120-51-4	204-402-9	100						

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as health hazards and hence require reporting in this section.

SECTION 4: FIRST-AID MEASURES

IN CASE OF EYE CONTACT	Flush with copious amounts of water for 15 minutes, separating eyelids with fingers. If irritation persists seek medical aid.
IN CASE OF SKIN CONTACT	Wash with soap & water for 15 minutes. If irritation persists seek medical aid.
IF SWALLOWED	Call a physician. Wash out mouth with water. Do not induce vomiting without medical advice.
IF INHALED	Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician
MEDICAL ATTENTION AND SPECIAL TREATMENT	Get emergency medical help.
SYMPTOMS CAUSED BY EXPOSURE	Not expected to present a significant hazard under anticipated conditions of normal use.

SECTION 5: FIREFIGHTING MEASURES

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL	The vapour is heavier than air.
---	---------------------------------

FLAMMABLE PROPERTIES

May be combustible at high temperature

HAZARDOUS COMBUSTION PRODUCTS

Under fire conditions, hazardous fumes will be present.

SUITABLE & UNSUITABLE EXTINGUISHING MEDIA

Small fire: dry chemical, CO₂ or water spray. **Large fire:** dry chemical, CO₂, alcohol resistant foam or water spray. Do not get water inside containers.

PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

METHODS & MATERIAL FOR CONTAINMENT

On land, sweep or shovel into suitable containers.

CLEANUP PROCEDURE

Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Wear respirator, chemical safety goggles, rubber boots and heavy rubber gloves. Stop leak if you can do it without risk. Prevent entry into waterways, sewers, basements or confined areas. Shut off all sources of ignition. Evacuate the area. If necessary, employ water fog to disperse the vapors. Absorb the matter with compatible vermiculite or other absorbing material. Place in a suitable container and retain for disposal. Ventilate and clean the affected area. Do not flush into sewerage system or to drains.

REFERENCE TO OTHER SECTIONS

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

Do not inhale. Avoid contact with eyes, skin and clothing. Avoid prolonged or repeated exposure. Wash thoroughly after handling. Store away from incompatible materials, in a well-ventilated area. Eliminate all sources of ignition. Store in accordance with local regulations. Do not store in unlabeled containers. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Use appropriate containment to avoid environmental contamination.

CONDITIONS FOR SAFE STORAGE

Store away from incompatible materials, in a well-ventilated area. Eliminate all sources of ignition. Store in accordance with local regulations. Do not store in unlabeled containers. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Use appropriate containment to avoid environmental contamination.

STORAGE CONDITIONS

Store in original container, tightly sealed, protected from direct sunlight and moisture.

The freezing point of BENZYL BENZOATE USP is 18 - 21 °C (64 - 70 °F). It will begin to liquefy at 18 °C (64 °F). Product is not affected by cycling between freezing and thawing conditions as long as label directions are followed.

Product can be left at room temperature or in a controlled-temperature water bath or a hot box set to 50 °C (122 °F) to thaw. Gently stir or tumble the container to ensure it is homogenous.

It is recommended to use the minimum amount of heat necessary to thaw the product. It is also advised not to perform direct heating to higher temperatures.

SECTION 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION

Chemical Name: BENZYL BENZOATE CAS #: 120-51-4

	Country	Limit value-8 hours		Limit value-Short Term		IDLH	REL	Advisory	Notes
		ppm	mg/m ³	ppm	mg/m ³				
OSHA	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
ACGIH	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
NIOSH	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
WEEL	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
HSIS	Australia	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
HSE	UK	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
GESTIS	N/L	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A

N/L = Not listed ; N/A = Not Available

PELs are 8-hour TWAs = Limit value - Eight hours

Ceiling or Short-Term TWA = STEL = Limit value - Short term

EXPOSURE GUIDELINES

 Consult local authorities for provincial or state exposure limits. Particulates not otherwise regulated, respirable fraction: 5 mg/m³.

PERSONAL PROTECTIVE EQUIPMENT

Eyes: Wear appropriate protective eyeglasses or chemical safety goggles as described by WHMIS or OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. **Skin:** Wear appropriate gloves to prevent skin exposure. **Clothing:** Wear appropriate protective clothing to minimize contact with skin. **Respirators:** Follow WHMIS or OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. **Thermal Hazards:** For products representing a thermal hazard, appropriate Personal Protective Equipment should be used.

SPECIFIC ENGINEERING CONTROLS

Adequate mechanical ventilation. Fumehood, eye wash station, and safety shower.

BIOLOGICAL MONITORING

Not available

CONTROL BANDING

Not available

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES
PHYSICAL STATE

Liquid

DESCRIPTION

Clear, colorless, oily liquid having a slight aromatic odor.

SOLUBILITY

Practically insoluble in water and in glycerin. Miscible with alcohol, with ether, and with chloroform.

ODOR

Slight aromatic odor

FLAMMABILITY

May be combustible at high temperature

AUTO-IGNITION TEMPERATURE

480°C, 896°F

BOILING POINT

323°C, 613.4°F

DECOMPOSITION TEMPERATURE

Not available

EVAPORATION RATE

<1

EXPLOSIVE LIMIT

Not available

FLASH POINT

 148°C, 298.4°F
(Closed Cup)

log P (OCTANOL-WATER)

3.97

LOWER FLAMMABLE/EXPLOSIVE LIMIT(S)

Not available

MELTING/FREEZING POINT

 (18-21)°C,
(64.4-69.8)°F

PARTICLE CHARACTERISTICS	Not available	OXIDIZING PROPERTY	Not oxidizing	pH	Not available
RELATIVE DENSITY (WATER = 1)	1.116 - 1.120	SPECIFIC GRAVITY	1.12 (25°C)	UPPER FLAMMABLE/EXPLOSIVE LIMIT(S)	Not available
VAPOR DENSITY (AIR = 1)	7.31	VAPOR PRESSURE	0.00003 kPa (25°C)	VISCOSITY	Dynamic: 10.9 mPa.s (25°C)

The physical data presented above are typical values and should not be construed as a specification.

SECTION 10: STABILITY AND REACTIVITY

REACTIVITY	Not established
CHEMICAL STABILITY	Stable under recommended storage conditions
INCOMPATIBLE MATERIALS	Oxidizing agents. Reducing agents. Acids. Bases.
HAZARDOUS DECOMPOSITION PRODUCTS	Toxic fumes of carbon monoxide, carbon dioxide and other gases may occur
HAZARDOUS POLYMERIZATION	Will not occur
POSSIBILITY OF HAZARDOUS REACTION	Not established
CONDITIONS TO AVOID	Moisture, sunlight and extreme temperatures CAUTION: Avoid exposure to excessive heat.

SECTION 11: TOXICOLOGICAL INFORMATION

ACUTE TOXICITY	Oral: Rat: LD50: (mg/kg): 1700 Dermal: Rabbit LD50: (mg/kg): 4000 Inhalation: Rat: LC50: (mg/L/4hr): Not available
SKIN CORROSION/IRRITATION	Based on available data, the classification criteria are not met. Skin irritancy test Result: Slight irritant. Erythema and edema mean score < 2.0. Species: Rabbit
SERIOUS EYE DAMAGE/EYE IRRITATION	Causes eye irritation. Eye irritancy test Result: Irritant. Species: Human Eye irritancy test Result: Slight conjunctival injection observed in 1 hour, resolved in 24 hours. Species: Rabbit
RESPIRATORY SENSITIZATION	Due to lack of data the classification is not possible.
SKIN SENSITIZATION	Based on available data, the classification criteria are not met. Local lymph node assay Result: Negative. Species: Mouse Maximization test Result: Not sensitizing. Species: Guinea pig Patch test Result: Generally negative. Species: Human
GERM CELL MUTAGENICITY	Due to lack of data the classification is not possible.
CARCINOGENICITY	OSHA BENZYL BENZOATE is not listed. NTP BENZYL BENZOATE is not listed. IARC BENZYL BENZOATE is not evaluated.

ADDITIONAL CARCINOGENICITY INFORMATION	<p>California Proposition This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.</p> <p>Due to lack of data the classification is not possible.</p>
REPRODUCTIVE TOXICITY	<p>Based on available data, the classification criteria are not met.</p> <p>Retrospective study in women exposed to this material during pregnancy. Result: No difference from matched controls in pregnancy outcomes. Species: Human</p> <p>Rproductivity and development study, administered as 0.04% to 1.0% of diet during gestation. Result: No evidence of teratogenicity noted. Species: Rat</p>
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	<p>Based on available data, the classification criteria are not met.</p>
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	<p>Based on available data, the classification criteria are not met.</p>
ASPIRATION HAZARDS	<p>Based on available data, the classification criteria are not met.</p>
SIGNS AND SYMPTOMS OF EXPOSURE	<p>ROUTES OF EXPOSURE: Inhalation, skin, eyes, ingestion</p> <p>EARLY ONSET SYMPTOMS RELATED TO EXPOSURE: Not available.</p> <p>DELAYED HEALTH EFFECT FROM EXPOSURE: Central nervous system stimulation. May cause hypersensitivity reactions.</p> <p>Symptoms related to the physical, chemical, and toxicological characteristics: Nausea. Vomiting. Diarrhea. Frequent, painful, or difficult urination. Urinary retention. Agitation. Incoordination. Seizures. Muscle spasms. May cause hypersensitivity reactions.</p>
POTENTIAL HEALTH EFFECTS	<p>Inhalation May be harmful if inhaled. Causes respiratory tract irritation.</p> <p>Ingestion Harmful if swallowed. May stimulate the CNS and cause convulsions.</p> <p>Skin May be harmful if absorbed through skin. Causes skin irritation. Repeated or prolonged contact with skin may cause dermatitis.</p> <p>Eyes Causes eye irritation.</p>
SECTION 12: ECOLOGICAL INFORMATION	
ECOTOXICITY	<p>EC50: 48 Hr: Crustacea: Daphnia magna (mg/L): 3.09 LC50: 96 Hr: Fish: (mg/L): 2.32 - 4.8 EC50: 72 or 96 Hr: Algae (or other aqua plants): (mg/L): Not available</p>
PERSISTENCE AND DEGRADABILITY	<p>Not available</p>
BIOACCUMULATIVE POTENTIAL	<p>High: LogPow: 3.97</p>
MOBILITY IN SOIL	<p>Practically insoluble in water Water Solubility: 15.4 mg/L (25°C) Henry's Law Constant: 2.80E-06 atm-m³/mole (25°C)</p>
OTHER ADVERSE EFFECTS	<p>Not available</p> <p>This product is not intended to be released into the environment</p>

SECTION 13: DISPOSAL CONSIDERATIONS
DISPOSAL METHODS

Dispose of in accordance with federal / local laws and regulations. Avoid release into the environment.

SECTION 14: TRANSPORT INFORMATION
UN PROPER SHIPPING NAME

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

UN NUMBER

3082

CLASS

9

PACKING GROUP

III

AUSTRALIA
HAZCHEM

3Z

EU
**TRANSPORT IN BULK ACCORDING
TO ANNEX II OF MARPOL 73/78
AND THE IBC CODE**

Not Listed

ENVIRONMENTAL HAZARDS

Not available

**SPECIAL SHIPPING
INFORMATION**

Not applicable

SECTION 15: REGULATORY INFORMATION
UNITED STATES REGULATIONS

Chemical Name & CAS	CERCLA 40 CFR Part 302.4	SARA (Title III) 40 CFR	EPA 40 CFR Part 355		Pennsylvania	Right-to-know		California Prop 65
			Appendix A	Appendix B		New Jersey	Massachusetts	
BENZYL BENZOATE, 120-51-4	N/L	N/L	N/L	N/L	N/L	N/L	N/L	N/L

N/L = Not Listed; X = Listed

AUSTRALIAN REGULATIONS

Chemical Name & CAS	Poisons and Therapeutic Goods	Therapeutic Goods Act	Code of Practices - Illicit Drug	Poisons Standard	Work Health and Safety Regulations	Inventory of Industrial Chemicals
BENZYL BENZOATE, 120-51-4	N/L	Listed*	N/L	Listed	N/L	N/L

N/L = Not Listed

EU REGULATIONS

Chemical Name & CAS	REACH ANNEX XVII	REACH ANNEX XIV	EC 1005/2009	EC 850/2004	EC 1107/2009	PIC - Prior Informed Consent Regulation	EC 2012/18
BENZYL BENZOATE, 120-51-4	N/L	N/L	N/L	N/L	N/L	N/L	N/L

N/L = Not Listed; X = Listed

Any EU regulation not listed above is not applicable to this product.

SUBJECT TO INTERNATIONAL AGREEMENT Not applicable

NOTES *Listed in Appendix B, Part 3

SECTION 16: OTHER INFORMATION

REFERENCES

ABBREVIATIONS AND ACRONYMS

Available upon request

ACGIH - American Conference of Governmental Industrial Hygienists; **AIHA WEEL** – American Industrial Hygiene Association Workplace Environment Exposure Levels; **CAESAR** – Computer Assisted Evaluation of industrial chemical Substances According to Regulations; **CAS** – Chemical Abstract Service; **CERCLA** – Comprehensive Environmental Response, Compensation, and Liability Act; **EC50** – Effective Concentration, 50%; **EPA** – Environmental Protection Agency; **GHS** – Global Harmonized System; **HMIS** – Hazardous Materials Information System; **HSE** – Health and Safety Executive; **HSIS** – Hazardous Substances Information System; **IARC** – International Agency for Research on Cancer; **IDLH** - Immediately Dangerous to Life or Health; **IRFMN** – Ready Biodegradability Model; **ISS** – Istituto Superiore Sanità; **LC50** – Lethal Concentration, 50%; **LD50** – Lethal Dose, 50%; **MSHA** - Mine Safety and Health Administration; **NIOSH** – National Institute for Occupational Safety and Health; **NTP** – National Toxicology Program; **OSHA PEL** – Occupational Safety & Health Administration Permissible Exposure Limits; **QSAR** – Quantitative Structure-activity relationship; **REL** - Recommended Exposure Limit; **SARA** – Superfund Amendments and Reauthorization Act; **STEL** – Short Term Exposure Limit; **TLV** – Threshold Limit Value; **TWA** – Time Weighted Average; **WHMIS** – Workplace Hazardous Materials Information System

LAST REVISION

02/2023

SUPERSEDES

12/2022

For a list of changes to the SDS since the last version, please communicate with MEDISCA at www.medisca.com

DISCLAIMER

This document was created in accordance with OSHA, Safe Work Australia and WHMIS regulations. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. MEDISCA® shall not be held liable for any damage resulting from handling or from contact with the above product. Recipients of the product must take responsibility for observing existing laws and regulations.

SUPPLEMENTARY INFORMATION

For all country specific requirements not outlined on this Safety Data Sheet, please request Supplementary Page to this Safety Data Sheet.